

The manufacturer of this vehicle:

- Shall be a current member in good standing of the Ford Motor Company Qualified Vehicle Modifier Program, and shall submit a copy of the membership certificate as part of the bid proposal.
- Must be in compliance with Federal Motor Vehicle Safety Standards (FMVSS) or most current revision, for the type vehicle described herein, as prepared by an independent third party testing laboratory, and must have "Star of Life" certification affixed to ambulance upon delivery. (In-house certification will not be acceptable.)
- Shall carry not less than one million dollars (\$1,000,000.00) or required standards in product liability insurance and shall submit a copy of this insurance with the bid proposal.
- Shall employ full-time parts personnel with toll-free access number.
- Shall employ a full-time electrical troubleshooter with toll-free access number.
- Shall employ a full-time warranty representative with toll-free access number.
- Bidder shall submit how warranty service claims will be handled.
- Option price list for upgrades to the remount

1.	<b><u>ENGINE</u></b>	<b>Comply</b>	<b>Exception</b>
a.	Gas engine, must meet FMVSS requirements. Engines must meet current EPA emission requirements.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b.	Must include the chassis manufacturer's "AMBULANCE PREP PACKAGE"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c.	Dual heavy-duty alternators, minimum 100 amp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d.	Maintenance free heavy-duty batteries, 750 CCA minimum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e.	Manufacturer's heavy-duty engine cooling	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.	<b><u>TRANSMISSION</u></b>		
a.	Automatic transmission, 4 speed with overdrive	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b.	Manufacturer's heavy-duty cooling		
3.	<b><u>AXLES</u></b>		
a.	Manufacturer's standard drive axle ratio for ambulance prep	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.	<b><u>PERFORMANCE ITEMS</u></b>		
a.	Power steering	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b.	Anti-lock brakes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c.	Power brakes, disc type front, disc or drum rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d.	Fuel capacity, minimum 37 gallon	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e.	Heavy-duty front and rear shocks	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f.	Front stabilizer bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	<b><u>COMFORT ITEMS</u></b>	<b>Comply</b>	<b>Exception</b>
5.	<ul style="list-style-type: none"> <li>a. Factory installed air conditioning</li> <li>b. Tinted glass (factory tint)</li> <li>c. Dual captains chairs with armrest</li> <li>d. Rubber floor mat instead of carpeting</li> <li>e. AM/FM radio</li> <li>f. Power door locks</li> <li>g. Power windows</li> <li>h. Speed control and tilt wheel</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> </ul>
6.	<b><u>SAFETY ITEMS</u></b>		
	<ul style="list-style-type: none"> <li>a. Driver and passenger lap and shoulder belt with retractor</li> <li>b. Driver and passenger air bags</li> <li>c. Dual electric horns</li> <li>d. Outside mirrors to provide vision for vehicles 96" wide</li> <li>e. Two speed wipers with intermittent</li> <li>f. Interior dome lights wired to right and left doors</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> </ul>
7.	<b><u>TIRES AND WHEELS</u></b>		
	<ul style="list-style-type: none"> <li>a. BSW, all season tread radial 16" tires</li> <li>b. Conventional spare tire and wheel</li> <li>c. Jack and wheel wrench</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> </ul>
8.	<b><u>CHASSIS, FRAME, CAB</u></b>		
	<ul style="list-style-type: none"> <li>a. Minimum GVWR 10,500 lbs</li> <li>b. Cab/chassis cutaway</li> <li>c. Wheel base 158" minimum</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> <li><input checked="" type="checkbox"/></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> </ul>
9.	<b><u>MODULAR BODY CONSTRUCTION</u></b>		
	<ul style="list-style-type: none"> <li>a. The ambulance body and patient compartment shall be sufficient in size to meet the requirements of this specification and those of paragraph 3.10.1 of the current Federal Motor Vehicle Safety Standards (FMVSS).</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/></li> </ul>

**PROPOSAL PRICE BID**

Designate your QVM option:     QVM         Non-QVM

**2018 Ford Cutaway 158" E450 Chassis with Gas Motor**

2 WHEEL DRIVE

(DUAL REAR WHEEL, CAB & CHASSIS) with Base Off/On Box Mount

The bid price is to include the chassis and box swap this is the price that goes on the bid/proposal line. This bid is strictly for box off and box back on with no updates being done to the box (that would be under the options menu).

**Unit Price Per Base Vehicle**

\$ 81,378.00 /ea.

**Please include options sheet with pricing.**

Brand Name Life Line

Model No. Box Swap E450 chassis

Exceptions (list any and all exceptions below):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Please identify your service or sales area that will apply to this bid:

*For Example:*

*Service or sales area: United States\*, Canada & Internationally*

*\* Service area in the United States is limited to: Alabama, Arizona, Arkansas, Colorado, Florida, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Michigan, Minnesota, Missouri, Montana, Nebraska, New Mexico, North Dakota, North Carolina, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Virginia, Washington, West Virginia, Wisconsin, Wyoming*

United States

Delivery should occur within 56 calendar days after receipt of chassis.